

SERIES 3200/3201

For indoor and outdoor applications

Two Way Sideloader

Basic capacities from 3000 to 7000 kg
Diesel / LPG Engines



World-class solutions to logistics problems!

HUBTEX.

SERIES 3200/3201

Features

When you need to move a long load, the sideloader has no rival. Compared to a conventional forklift, the sideloader is a complete one-man, one-truck handling system. It will work faster, and safer. And because it works in less space, it leaves more space for storage. A sideloader carries its load parallel to the direction of travel. It doesn't need extra wide doorways, gangways or large turning areas. It can stack, handle, and travel in aisles only a fraction wider than itself.

Further advantages include

- spacious drivers cab,
- emphasis is placed on maximum all-round visibility, Instrumentation is designed-into the cab, providing the operator with an easy view of all key functions. The flat unobstructed deck adds to the excellent allround visibility,
- a guard is fitted as standard over the loadside sliding window. Anti-slip steel decking is standard with timber platform available as an option. Enclosed access steps and grab handles provide safe access to the cab, antislip steel covered walkway at the front of the cab allows easy access to the platform,
- designed with the future in mind.



Ergonomics

Working with the series 3200 and 3201 is a real pleasure. Everything is clearly arranged and easily accessible. The comfortable, ergonomic drivers workstation offers more elbow room and optimum all round vision. Joystick control enables lift, lower, traverse and platform tilt motions – all with "fingertip" control. The joystick is comfortable and natural to use. It enables the driver to manage simultaneous functions easily and safely, while keeping one hand on the steering wheel. In addition the drivers cab is rubber mounted to keep noise and vibration to a minimum. A full suspension seat is fitted as standard.

Power train

The hydrostatic drive combines power and speed with simplicity. It is ideal for easy shuttle operation, providing smooth acceleration and braking. The hydrostatic transmission allows spacesaving, flexibility in design and response to special requirements. Hydrostatic service brakes operate directly on the drive wheels.



Your reliable partner for side

New, ergonomic drivers workstation



Available for series 3201 only.

Lift mast



Mast reach system

The twin-cylinder traverse system is purpose-designed. Crossed hydraulic cylinders guarantee balanced diagonal thrust to the mast, automatically cushioning the telescoping movement at the final stage of retraction. Replaceable wear strips are fitted in the traverse channels. The system is simple, effective and reliable, with minimum moving parts.

Capacity by model

Series 3200

Types	Basic Capacity
S 30 D/S 30 G	3000 kg
S 40 D/S 40 G	4000 kg
S 50 D/S 50 G	5000 kg

Series 3201

Types	Basic Capacity
S 50 D/S 50 G	5000 kg
S 60 D/S 60 G	6000 kg
S 70 D/S 70 G	7000 kg



Loaders – worldwide!



Quality and Safety

All HUBTEX trucks are built to the highest possible quality and safety standards and HUBTEX is certified to DIN EN ISO 9001:2000.





Maintenance

Modular construction of HUBTEX-trucks ensures easy access for servicing and repair even in narrow aisles situation. The compactness and flexibility of the hydrostatic transmission allows engine installation below the platform. Lift-up covers give instant and complete access to engine, transmission, battery, hydraulic reservoir. All assemblies are easy accessible reducing downtime and improving service engineer acceptance.



HUBTEX sideloaders maximize your storage capacity!



HUBTEX
Maschinenbau GmbH & Co. KG
 Industriepark West
 Werner-von-Siemens-Str. 8
 36041 Fulda, Germany
 Telephone: +49-661-8382-0
 Telefax: +49-661-8382-120
 info@hubtex.com

HUBTEX

www.hubtex.com

Technical modification reserved. Pictures may show options which are not standard equipment. Power details are guide values without obligation.